

Sheet List		
Sheet	Sheet	
Name	Number	
Cover Page	A00	
Ground	A01	
Floor Plan		
&		





- NOTES

 1. All work to be carried out in accordance with local authority regulations.
- 2. All figured dimensions to be taken in preference to scaled dimensions.
- All walls below 200mm to be reiforced with hoop iron at every alternative course.
- 4. Provide damp proof course (D.P.C) under all wall .
- 5. P.V indicated permanent ventilations.
- All drainage passing under building and drive area to be of pvc pipe and ecased in concrete.
- 7. All sanitary work to be in accordance with M.O.H rules and regulations.
- 8. Check all dimensions on site.
- 9. 500g polythen sheeting and anti-termite treatment to be provided uderground floor concrete slab.
- 10. All reinforced concrete work is to be in accordance with structural engineer's details.
- 11. All measurements in mm.
- 12. Sample of fittings,materials etc. to be produced and approved before commencing

work		
No.	Description	Date

CLIENT

MRS. NYILAK HELLEN 0772484882

UWEZO **ENGINEERING** LTD PLOT.., Abaita-Ababiri ENTBBE ROAD P.O.BOX 582, Entebbe, UGANDA UWEZO Engineering

BUILDING CONSULTANTS

Project Description;

PROPOSED CLASS ROOM BLOCK FOR BIGGI JUNIOUR SCHOOL , NEBBI DISTRICT,PAMORA APOLLA VILLAGE

Sheet Description

PRESENTATION DRAWINGS

Scale	as shown	Drawing no
Date	08/2018	Diaming no
Drawn by	NH	
checked by	NH	

